

e *Ellicott*



MUD CAT

Auger Dredges



MUD CAT™ SP-815

Key Features:

- 6" x 6" (152 x 152 mm) Submerged Dredge Pump
- One - Truck Transportable

Digging Depth:

- 15 ft. (4.5 m)

Total Horsepower

- 185 HP (138 kw)

Production Range:

- 60 - 85 yd³ (46 - 65 m³) per Hour



MUD CAT™ MC-2000

Key Features:

- 10" x 8" (254 x 203 mm) Submersible Dredge Pump
- High Output Performance
- One-Truck Transportable

Digging Depth:

- 20 ft. (6 m)

Total Horsepower

- 300 HP (224 kw)

Maximum Production:

- 90 - 175 yd³ (69 - 134 m³) per Hour



Cutterhead Dredges



ELLICOTT 370HP Dragon™

Key Features:

- 12" x 10" (304 x 254 mm) Pumping System
- Highly Portable
- Rugged and Powerful
- Low Down Time
- Ideal for Small Jobs and Remote Environments

Digging Depth:

- 20 ft. (6 m) to 42 ft. (12.8 m)

Total Horsepower

- 440 HP (328 kw)

Maximum Production:

- 150 - 320 yd³ (115 - 245 m³) per Hour

ELLICOTT 670 Dragon™

Key Features:

- 14" x 12" (355 x 304 mm) Dredge Pump
- Easily Transportable
- High Power Pump & Cutter Drive
- Single Deck-Mounted Engine
- Exceptional Stability

Digging Depth:

- 26 ft. (8 m) to 42 ft. (12.8 m)

Total Horsepower

- 750 HP (560 kw)

Maximum Production:

- 250 - 500 yd³ (191 - 383 m³) per Hour



Cutterhead Dredges



ELLICOTT 1170 Dragon™

Key Features:

- 16" x 14" (406 x 355 mm) or 16" x 16" (406 x 406 mm) Pumping System
- 3-Piece Hull Design
- Optional Spud Carriage

Digging Depth:

- 33 ft. (10 m)

Total Horsepower

- 1145 HP (854 kw)

Maximum Production:

- 350 - 700 yd³ (268 - 536 m³) per Hour

ELLICOTT 1870 Dragon™

Key Features:

- 20" x 18" (508 x 457 mm) or 20" x 20" (508 x 508 mm) Pumping System
- 5-Piece Hull Design
- Optional Spud Carriage and Anchor Booms
- Portable

Digging Depth:

- 50 ft. (15 m)

Total Horsepower

- 1755 HP (1310 kw)

Production Range:

- 500 - 1000 yd³ (383 - 765 m³) per Hour



ELLICOTT 1480 SandMiner®

Key Features:

- Models from 10" (254 mm) to 16" (406 mm)
- Rugged, Heavy-duty Construction
- Diesel or Electric
- Automated Controls

Digging Depth:

- Up to 90 ft. (27.4 m)

Total Horsepower

- Up to 1800 HP (1343 kw)

Production Range:

- 350 - 700 tons (318 - 635 tonnes) per Hour

ELLICOTT Wheel-Dragon™

Key Features:

- Models from 10" (254 mm) to 20" (508 mm) Discharge
- Dual Wheel Excavator
- Traveling Spud Carriage

Digging Depth:

- Up to 26 ft. (7.9 m)

Total Horsepower

- 480 HP (358 kw) to 1500 HP (1120 kw)

Production Range:

- 250 - 1000 yd³ (191 - 765 m³) per Hour



Ellicott Dredges . . . Built to Last



ELLICOTT DREDGES

Division of Baltimore Dredges, LLC

1425 Wicomico Street • Baltimore, MD 21230
Tel: 410-545-0232 • Fax: 410-545-0293
www.dredge.com



ELLICOTT Offers:

Dredge Rentals:

- Short and Long Term Programs
- Lease or Lease with Option to Purchase
- Auger and Cutter Suction Dredges

Field Service:

- Training and Technical Support
- Factory Trained Technicians
- Emergency Response

Replacement Parts:

- OEM Supplier
- Stocked Ellicott/Mud Cat Parts
- Toll Free Services Number
1-888-468-3228, or 1-888-4MUDCAT

